(19) World Intellectual Property Organization

International Bureau



TERE TO THE TOTAL HEEL HOUSE HEEL WHILE COME ON BY HE WEST CONTROL WHILE CHIEF WHICH A CONTROL FOR

(43) International Publication Date 28 July 2005 (28.07.2005)

PCT

(10) International Publication Number WO 2005/068470 A2

(51) International Patent Classification⁷:

C07D 491/00

(21) International Application Number:

PCT/EP2004/053685

(22) International Filing Date:

23 December 2004 (23.12.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: MI2004A000004

8 January 2004 (08.01.2004) IT

(71) Applicant (for all designated States except US): SOLVAY SOLEXIS S.P.A. [IT/IT]; Via Turati, 12, I-20121 Milano (IT).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): BIANCHI, Ugo [IT/IT]; Via Prato Santo, 26, I-37126 Verona (IT). GARAFFA, Roberto [IT/IT]; Via N. Palmieri, 74, I-20141 Milano (IT).
- (74) Agents: VANDE GUCHT, Anne et al.; SOLVAY (Société Anonyme), Rue de Ransbeek, 310, B-1120 Bruxelles (BE).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,

TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS. JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA. MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG. PH. PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- of inventorship (Rule 4.17(iv)) for US only

[Continued on next page]

(54) Title: AQUEOUS FORMULATIONS OF IMIDOALKANEPERCARBOXYLIC ACIDS



(57) Abstract: Liquid formulations of imidoalkanepercarboxylic acids, in the form of aqueous dispersions comprising, in percentages by weight relative to the total weight of the composition: A) from $\geq 7\%$ to 40% and preferably from 10% to 20% of imidoalkanepercarboxylic acids having the general formula (I), the said imidoalkanepercarboxylic acids being in the β form and having a dissolution time, determined via the test of the rate of dissolution at a temperature of 40°C or 18°C, of not more than 5 minutes when determined at 40°C or 15 minutes when determined at 18°C, for an amount of dissolved acid equal to 99% of the theoretical amount; B) from 0.001% to 0.9% of a nonionic surfactant; the said dispersions having a viscosity of not more than 2000 mPa.sec at 25°C by applying a shear rate of 20 s⁻¹; in which the dissolution time of the component A), determined via the test of the rate of dissolution at a temperature of 40°C or 18°C, is not more than 5 minutes when determined at 40°C or 15 minutes when determined at 18°C, for an amount of dissolved acid equal to 99% of the theoretical amount, as defined in the rate of dissolution

test; the said dispersions in the test of stability at 40° C for seven days show variations in viscosity of not more than 300 mPa.sec; the said aqueous formulations being obtainable by grinding the crystals of imidoalkanepercarboxylic acids in α form dispersed in an excess of water, in the presence of a surfactant chosen from nonionic surfactants; cooling the liquid dispersion to a temperature below 30° C.

WO 2005/068470 A2



Published:

 without international search report and to be republished upon receipt of that report For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.